



MILANO



QUALITY. GUARANTEED.

Capturing the natural elegance of matt fusion marble, Milano creates a style of simplicity to subtly elevate your interiors with its beautiful and enduring characteristics. Milano collection comes in a neutral colour palette choice of Avorio, Cream, Grey and Nero.

**MILANO**



# MILANO

COLOURS



WALL&FLOOR: AVORIO **SMMIL1** 60x60cm / 24"x24"



**SMMIL1**  
AVORIO



**SMMIL2**  
CREAM



**SMMIL3**  
GREY



**SMMIL4**  
NERO



FLOOR: NERO **SMMIL4** 60x60cm / 24"x24"



FLOOR: GREY **SMML3** 60x60cm / 24"x24"

# MILANO

Product Information



**MATT**  
60x60cm  
24"x24"  
6 Faces

**MATT**  
30x60cm  
12"x24"  
12 Faces

- Floor
- Wall
- Indoor

**SMMIL1 / AVORIO**



**SMMIL3 / GREY**



**SMMIL2 / CREAM**



**SMMIL4 / NERO**



\* Colors and tile designs shown above are for illustration purposes. Please refer to actual tiles for final selection.

# TECHNICAL SPECIFICATION

$E \leq 0.5\%$  ( Bla, ANNEX G )

TECHNICAL FEATURES	STANDARDS	INTERNATIONAL STANDARDS	MML TYPICAL STANDARDS
<b>DIMENSIONAL CHARACTERISTICS</b>			
Length & Width	ISO 10545-2	$\pm 0.60\%$ max $\pm 2.0\text{mm}$	$\pm 0.25\%$ max $\pm 2.0\text{mm}$
Thickness	ISO 10545-2	$\pm 5.00\%$ max $\pm 0.5\text{mm}$	$\pm 5.00\%$ max $\pm 0.5\text{mm}$
Straightness of Sides	ISO 10545-2	$\pm 0.50\%$ max $\pm 1.5\text{mm}$	$\pm 0.25\%$ max $\pm 1.5\text{mm}$
Rectangularity	ISO 10545-2	$\pm 0.50\%$ max $\pm 2.0\text{mm}$	$\pm 0.30\%$ max $\pm 2.0\text{mm}$
Surface Flatness	ISO 10545-2	$\pm 0.50\%$ max $\pm 2.0\text{mm}$	$\pm 0.25\%$ max $\pm 2.0\text{mm}$
<b>CHEMICAL PROPERTIES</b>			
Resistance to Household Chemicals & Swimming Pool Salts	ISO 10545-13	Min GB	GB
Resistance to Staining	ISO 10545-14	Min Class 3	Class 3
<b>PHYSICAL PROPERTIES</b>			
Water Absorption	ISO 10545-3	Group Bla, $E \leq 0.5\%$	$\leq 0.5\%$
Breaking Strength	ISO 10545-4	Min 1300 N	1300 N
Modulus of Rupture	ISO 10545-4	Min 35 N / mm <sup>2</sup>	> 35 N / mm <sup>2</sup> (Depending on Series)
Resistance to Surface Abrasion	ISO 10545-7	Report Abrasion Class	Glazed: Class 2-4 (Depending on Glaze Type)

The above information serves as a general guideline only. Different types of tiles are made to meet different performance requirements. For legal compliance or for specific product technical performance, please request for a confirmation or test report.



QUALITY. GUARANTEED.

FOLLOW US ON:

