



DUCHESS



QUALITY. GUARANTEED.

GLAMOROUS LIVING

The Italian Calacatta Gold marble is reinterpreted by DUCHESS, exuding refined elegance which represents the epitome of glamorous living. Its delicate yet striking gold veins contrast against a pristine white background to elevate your interiors. True to its name, DUCHESS embodies majestic sophistication, adding luxurious charm to upscale your projects.

DUCHESS



DUCHESS

V2
Rectified
Eco MML
Flat

FINISHING **SATIN**
POLISHED



60x120cm
24"x48"
POLISHED



60x60cm
24"x24"
SATIN
POLISHED



30x60cm
12"x24"
SATIN
POLISHED

Floor Wall Indoor

* Colours and tile designs shown above are for illustration purposes. Please refer to actual tiles for final selection.

SLDUC1 | PXDUC1

60x60cm 24x24"



FLOOR:
ORO **PXDUC1**
60x120cm / 24"x48"



FLOOR:
ORO **PXDUC1** 60x120cm / 24"x48"

PXDUC1 / ORO

60x120cm 24"x48"



FACES



TECHNICAL SPECIFICATION

$E \leq 0.5\%$ (Bla, ANNEX G)

TECHNICAL FEATURES	STANDARDS	INTERNATIONAL STANDARDS	MML TYPICAL STANDARDS
DIMENSIONAL CHARACTERISTICS			
Length & Width	ISO 10545-2	$\pm 0.60\%$ max $\pm 2.0\text{mm}$	$\pm 0.25\%$ max $\pm 2.0\text{mm}$
Thickness	ISO 10545-2	$\pm 5.00\%$ max $\pm 0.5\text{mm}$	$\pm 5.00\%$ max $\pm 0.5\text{mm}$
Straightness of Sides	ISO 10545-2	$\pm 0.50\%$ max $\pm 1.5\text{mm}$	$\pm 0.25\%$ max $\pm 1.5\text{mm}$
Rectangularity	ISO 10545-2	$\pm 0.50\%$ max $\pm 2.0\text{mm}$	$\pm 0.30\%$ max $\pm 2.0\text{mm}$
Surface Flatness	ISO 10545-2	$\pm 0.50\%$ max $\pm 2.0\text{mm}$	$\pm 0.25\%$ max $\pm 2.0\text{mm}$
CHEMICAL PROPERTIES			
Resistance to Household Chemicals & Swimming Pool Salts	ISO 10545-13	Min GB	GB
Resistance to Staining	ISO 10545-14	Min Class 3	Class 3
PHYSICAL PROPERTIES			
Water Absorption	ISO 10545-3	Group Bla, $E \leq 0.5\%$	$\leq 0.5\%$
Breaking Strength	ISO 10545-4	Min 1300 N	1300 N
Modulus of Rupture	ISO 10545-4	Min 35 N / mm ²	> 35 N / mm ² (Depending on Series)
Resistance to Surface Abrasion	ISO 10545-7	Report Abrasion Class	Glazed: Class 2-4 (Depending on Glaze Type)

The above information serves as a general guideline only. Different types of tiles are made to meet different performance requirements. For legal compliance or for specific product technical performance, please request for a confirmation or test report.



QUALITY. GUARANTEED.

FOLLOW US ON:



mymml.com



[mmlglobal](#)



[mmlglobal](#)

