



PANDORA



QUALITY. GUARANTEED.

TIMELESS BEAUTY OF WHITE MARBLE

Capturing the essence of Brazilian White Marble, PANDORA offers a pristine white backdrop adorned with graceful meandering grey veins to effortlessly add pure luxury to your interiors. Its silky-smooth touch unveils an exquisite fusion of finesse and timeless beauty, making it a distinctively classy choice for your commercial and residential spaces.

PANDORA



PANDORA

V2
Rectified
Eco MML
Flat

FINISHING **S** SATIN **P** POLISHED



60x120cm
24"x48"



60x60cm
24"x24"



30x60cm
12"x24"

 Floor  Wall  Indoor

* Colours and tile designs shown above are for illustration purposes. Please refer to actual tiles for final selection.

S SLPAN1 | **P** PXPAN1 / WHITE

60x60cm 24"x24" 





WALL&FLOOR: WHITE **PXPAN1** 60x120cm / 24"x48"

PANDORA

FINISHING

S SATIN **P** POLISHED

V2
Rectified
Eco MML
Flat

S SLPAN1 | **P** PXPAN1 / WHITE

60x120cm 24"x48" **6**
FACES





FINISHING | POLISHED

WALL&FLOOR:
WHITE **PXPAN1** 60x120cm / 24"x48"

TECHNICAL SPECIFICATION MML PORCELAIN (RECTIFIED)


E ≤ 0.5% (Bla, ANNEX G)

TECHNICAL FEATURES	STANDARDS	INTERNATIONAL STANDARDS	MML TYPICAL STANDARDS
DIMENSIONAL CHARACTERISTICS			
Length & Width	ISO 10545-2	± 0.30% max ± 1.0mm	± 0.25% max ± 1.0mm
Thickness	ISO 10545-2	± 5.00% max ± 0.5mm	± 5.00% max ± 0.5mm
Straightness of Sides	ISO 10545-2	± 0.30% max ± 0.8mm	± 0.25% max ± 0.8mm
Rectangularity	ISO 10545-2	± 0.30% max ± 1.5mm	± 0.30% max ± 1.5mm
Surface Flatness	ISO 10545-2	± 0.40% max ± 1.8mm	± 0.25% max ± 1.8mm
CHEMICAL PROPERTIES			
Resistance to Household Chemicals & Swimming Pool Salts	ISO 10545-13	Min GB	GB
Resistance to Staining	ISO 10545-14	Min Class 3	Class 3
PHYSICAL PROPERTIES			
Water Absorption	ISO 10545-3	Group Bla, E ≤ 0.5%	≤ 0.5%
Breaking Strength	ISO 10545-4	Min 1300 N	1300 N
Modulus of Rupture	ISO 10545-4	Min 35 N / mm ²	> 35 N / mm ² (Depending on Series)
Resistance to Surface Abrasion	ISO 10545-7	Report Abrasion Class	Glazed: Class 2-4 (Depending on Glaze Type)



QUALITY. GUARANTEED.

FOLLOW US ON:



mymml.com



[mmlglobal](#)



[mmlglobal](#)



The above information serves as a general guideline only. Different types of tiles are made to meet different performance requirements. For legal compliance or for specific product technical performance, please request for a confirmation or test report.