

BIANCA



QUALITY. GUARANTEED.

THE PURE NATURE OF REFINED ELEGANCE

Effortlessly capturing the intricate textures and veins found in rare and precious marble, the exquisite beauty of BIANCA embodies an aura of refined simplicity. Crafting an atmosphere of tranquil elegance, its gentle interplay of delicate grey tones evokes a mood of sun-kissed mountain ridges, gracefully adorned with wisps of ethereal clouds, to create a serene and captivating world of pristine whiteness.

BIANCA



BIANCA

FINISHING **SATIN**
POLISHED



6x120cm
24"x48"



6x60cm
24"x24"



3x60cm
12"x24"



* Colours and tile designs shown above are for illustration purposes. Please refer to actual tiles for final selection.

V2
Rectified
Eco MML
Flat

SLBIA1 | PXBIA1 / WHITE

6x120cm 24"x48" 





FINISHING | POLISHED

WALL&FLOOR:
WHITE **PXBIA1** 60x120cm / 24"x48"

TECHNICAL SPECIFICATION

$E \leq 0.5\%$ (Bla, ANNEX G)

TECHNICAL FEATURES	STANDARDS	INTERNATIONAL STANDARDS	MML TYPICAL STANDARDS
DIMENSIONAL CHARACTERISTICS			
Length & Width	ISO 10545-2	$\pm 0.60\%$ max $\pm 2.0\text{mm}$	$\pm 0.25\%$ max $\pm 2.0\text{mm}$
Thickness	ISO 10545-2	$\pm 5.00\%$ max $\pm 0.5\text{mm}$	$\pm 5.00\%$ max $\pm 0.5\text{mm}$
Straightness of Sides	ISO 10545-2	$\pm 0.50\%$ max $\pm 1.5\text{mm}$	$\pm 0.25\%$ max $\pm 1.5\text{mm}$
Rectangularity	ISO 10545-2	$\pm 0.50\%$ max $\pm 2.0\text{mm}$	$\pm 0.30\%$ max $\pm 2.0\text{mm}$
Surface Flatness	ISO 10545-2	$\pm 0.50\%$ max $\pm 2.0\text{mm}$	$\pm 0.25\%$ max $\pm 2.0\text{mm}$
CHEMICAL PROPERTIES			
Resistance to Household Chemicals & Swimming Pool Salts	ISO 10545-13	Min GB	GB
Resistance to Staining	ISO 10545-14	Min Class 3	Class 3
PHYSICAL PROPERTIES			
Water Absorption	ISO 10545-3	Group Bla, $E \leq 0.5\%$	$\leq 0.5\%$
Breaking Strength	ISO 10545-4	Min 1300 N	1300 N
Modulus of Rupture	ISO 10545-4	Min 35 N / mm ²	> 35 N / mm ² (Depending on Series)
Resistance to Surface Abrasion	ISO 10545-7	Report Abrasion Class	Glazed: Class 2-4 (Depending on Glaze Type)

The above information serves as a general guideline only. Different types of tiles are made to meet different performance requirements. For legal compliance or for specific product technical performance, please request for a confirmation or test report.



QUALITY. GUARANTEED.

FOLLOW US ON:



mymml.com



[mmlglobal](https://www.facebook.com/mmlglobal)



[mmlglobal](https://www.instagram.com/mmlglobal)

