

NUANCE




QUALITY. GUARANTEED.

SIMPLE SERENITY

Characterised by simplicity and functionality in warm neutral hues, NUANCE encapsulates the beauty of concrete and stone fusion in its most subtle form. Elevating everyday spaces into visually appealing interiors, NUANCE focuses on basic fundamentals to create aesthetically pleasing and highly functional environments in its minimalistic colour palette of Mellow White, Sand Dune, Cloud Grey, Cafe Latte and Summer Night.

NUANCE




NUANCE

COLORS



WALL : SAND DUNE **SMNUA2** 60x120cm / 24"x48"
FLOOR: CAFE LATTE **SMNUA4** 60x60cm / 24"x24"



SMNUA1
MELLOW WHITE

SMNUA2
SAND DUNE

SMNUA3
CLOUD GREY

SMNUA4
CAFE LATTE

SMNUA5
SUMMER NIGHT



WALL & FLOOR: CLOUD GREY **SMNUA3** 60x120cm / 24"x48"



WALL: CLOUD GREY **SMNUA3** 60x120cm / 24"x48"
FLOOR: SUMMER NIGHT **SMNUA5** 60x120cm / 24"x48"

NUANCE

Product Information



Rectified
Eco MML
Flat




WALL & FLOOR: CLOUD GREY **SMNUA3** 60x120cm / 24"x48"
FLOOR: MELLOW WHITE **SMNUA1** 60x120cm / 24"x48"

MATT
60x120cm
24"x48"
5 Faces

MATT
60x60cm
24"x24"
10 Faces

MATT
30x60cm
12"x24"
20 Faces

SMNUA1 / MELLOW WHITE



* Colors and tile designs shown above are for illustration purposes. Please refer to actual tiles for final selection.

NUANCE

Product Information




Rectified
Eco MML
Flat

MATT
60x120cm 24"x48"
5 Faces


MATT
60x60cm 24"x24"
10 Faces

MATT
30x60cm 12"x24"
20 Faces

SMNUA2 / SAND DUNE



SMNUA3 / CLOUD GREY



-  Floor
-  Wall
-  Outdoor
-  Indoor

* Colors and tile designs shown above are for illustration purposes. Please refer to actual tiles for final selection.

NUANCE

Product Information




Rectified
Eco MML
Flat

MATT
60x120cm
24"x48"
5 Faces


MATT
60x60cm
24"x24"
10 Faces

MATT
30x60cm
12"x24"
20 Faces

SMNUA4 / CAFE LATTE



SMNUA5 / SUMMER NIGHT



-  Floor
-  Wall
-  Outdoor
-  Indoor

* Colors and tile designs shown above are for illustration purposes. Please refer to actual tiles for final selection.

TECHNICAL SPECIFICATION MML PORCELAIN (RECTIFIED)


$E \leq 0.5\%$ (Bla, ANNEX G)

TECHNICAL FEATURES	STANDARDS	INTERNATIONAL STANDARDS	MML TYPICAL STANDARDS
DIMENSIONAL CHARACTERISTICS			
Length & Width	ISO 10545-2	$\pm 0.30\%$ max $\pm 1.0\text{mm}$	$\pm 0.25\%$ max $\pm 1.0\text{mm}$
Thickness	ISO 10545-2	$\pm 5.00\%$ max $\pm 0.5\text{mm}$	$\pm 5.00\%$ max $\pm 0.5\text{mm}$
Straightness of Sides	ISO 10545-2	$\pm 0.30\%$ max $\pm 0.8\text{mm}$	$\pm 0.25\%$ max $\pm 0.8\text{mm}$
Rectangularity	ISO 10545-2	$\pm 0.30\%$ max $\pm 1.5\text{mm}$	$\pm 0.30\%$ max $\pm 1.5\text{mm}$
Surface Flatness	ISO 10545-2	$\pm 0.40\%$ max $\pm 1.8\text{mm}$	$\pm 0.25\%$ max $\pm 1.8\text{mm}$
CHEMICAL PROPERTIES			
Resistance to Household Chemicals & Swimming Pool Salts	ISO 10545-13	Min GB	GB
Resistance to Staining	ISO 10545-14	Min Class 3	Class 3
PHYSICAL PROPERTIES			
Water Absorption	ISO 10545-3	Group Bla, $E \leq 0.5\%$	$\leq 0.5\%$
Breaking Strength	ISO 10545-4	Min 1300 N	1300 N
Modulus of Rupture	ISO 10545-4	Min 35 N / mm ²	> 35 N / mm ² (Depending on Series)
Resistance to Surface Abrasion	ISO 10545-7	Report Abrasion Class	Glazed: Class 2-4 (Depending on Glaze Type)



QUALITY. GUARANTEED.

FOLLOW US ON:



mymml.com



mmlglobal



mmlglobal



The above information serves as a general guideline only. Different types of tiles are made to meet different performance requirements. For legal compliance or for specific product technical performance, please request for a confirmation or test report.