

TRAVESTONE PLUS



QUALITY. GUARANTEED.

REFINED SOPHISTICATION

Embodying refined sophistication with soft undertones that evoke an atmosphere of enduring elegance, TRAVESTONE PLUS brings the timeless beauty of natural travertine into a modern and practical setting. Available in both Polished and Natural finishes, it offers seamless wall and floor applications in three elegant shades - Avorio, Beige and Silver.

TRAVESTONE

PLUS



TRAVESTONE

PLUS

COLOURS



SMTRA6 | PXTRA6
AVORIO

SMTRA7 | PXTRA7
BEIGE

SMTRA8 | PXTRA8
SILVER

FLOOR: BEIGE **SMTRA7** 60x120cm / 24"x48"

TRAVESTONE

PLUS



N SMTRA6 **P** PXTRA6 / AVORIO



WALL: AVORIO **PXTRA6** 60x120cm / 24"x48" FLOOR: AVORIO **SMTRA6** 60x60cm / 24"x24"

N SMTRA7 **P** PXTRA7 / BEIGE



FINISHING


N NATURAL

Soft Structured



FINISHING

P POLISHED



N SMTRA8 **P** PXTRA8 / SILVER



60x120cm
24"x48"
12 Faces

60x60cm
24"x24"
24 Faces

* Colours and tile designs shown above are for illustration purposes. Please refer to actual tiles for final selection.

TECHNICAL SPECIFICATION MML PORCELAIN (RECTIFIED)

E ≤ 0.5% (Bla, ANNEX G)

TECHNICAL FEATURES	STANDARDS	INTERNATIONAL STANDARDS	MML TYPICAL STANDARDS
DIMENSIONAL CHARACTERISTICS			
Length & Width	ISO 10545-2	± 0.30% max ± 1.0mm	± 0.25% max ± 1.0mm
Thickness	ISO 10545-2	± 5.00% max ± 0.5mm	± 5.00% max ± 0.5mm
Straightness of Sides	ISO 10545-2	± 0.30% max ± 0.8mm	± 0.25% max ± 0.8mm
Rectangularity	ISO 10545-2	± 0.30% max ± 1.5mm	± 0.30% max ± 1.5mm
Surface Flatness	ISO 10545-2	± 0.40% max ± 1.8mm	± 0.25% max ± 1.8mm
CHEMICAL PROPERTIES			
Resistance to Household Chemicals & Swimming Pool Salts	ISO 10545-13	Min GB	GB
Resistance to Staining	ISO 10545-14	Min Class 3	Class 3
PHYSICAL PROPERTIES			
Water Absorption	ISO 10545-3	Group Bla, E ≤ 0.5%	≤ 0.5%
Breaking Strength	ISO 10545-4	Min 1300 N	1300 N
Modulus of Rupture	ISO 10545-4	Min 35 N / mm ²	> 35 N / mm ² (Depending on Series)
Resistance to Surface Abrasion	ISO 10545-7	Report Abrasion Class	Glazed: Class 2-4 (Depending on Glaze Type)


The above information serves as a general guideline only. Different types of tiles are made to meet different performance requirements. For legal compliance or for specific product technical performance, please request for a confirmation or test report.

A BRAND BY HAFARY



QUALITY. GUARANTEED.

FOLLOW US ON:



mymml.com



mmlglobal



mmlglobal

