

PIETRA



QUALITY. GUARANTEED.

BOLD ELEGANCE

MML PIETRA reimagines world-class Pietra Grey marble for high-end curator. A signature of metropolitan luxe, its curated palette – from warm Avorio to classic Black – captures visual harmony and refined dynamism. This collection is a designer's choice defined by extraordinary detail and delicate veining. Available in Matt and Polished finishes, Pietra elevates interiors with a visually refined design vibe.

PIETRA




PIETRA

COLOURS



FLOOR: LIGHT GREY **SMPIE3** 60X120cm / 24" X 48"



SMPIE1 | PXPIE1
AVORIO



SMPIE2 | PXPIE2
BEIGE



SMPIE3 | PXPIE3
LIGHT GREY



SMPIE4 | PXPIE4
COFFEE




SMPIE5 | PXPIE5
BLACK





PIETRA

FINISHING **M** MATT **P** POLISHED

M SMP1E1 **P** PX1E1 / AVORIO



V2
Rectified
Eco MML



 Floor

 Wall

 Indoor



* Colours and tile designs shown above are for illustration purposes. Please refer to actual tiles for final selection.



PIETRA

FINISHING **M** MATT **P** POLISHED

M SMPIE2 **P** PXPIE2 / BEIGE



V2 Rectified
Eco MML



Floor

Wall

Indoor



* Colours and tile designs shown above are for illustration purposes. Please refer to actual tiles for final selection.

PIETRA

FINISHING

M

MATT

P

POLISHED

M

SMPIE3

P

PXPIE3 / LIGHT GREY



* Colours and tile designs shown above are for illustration purposes. Please refer to actual tiles for final selection.

V2

Rectified
Eco MML

60x120cm
24"x48"

9 Faces

60x60cm
24"x24"

18 Faces

Floor

Wall

Indoor





PIETRA

FINISHING **M** MATT **P** POLISHED

M SMPIE4 **P** PXPIE4 / COFFEE



V2 Rectified
Eco MML



Floor

Wall

Indoor



* Colours and tile designs shown above are for illustration purposes. Please refer to actual tiles for final selection.



PIETRA

FINISHING **M** MATT **P** POLISHED

M SMPIE5 **P** PXPIE5 / BLACK



V2 Rectified
Eco MML



Floor



Wall



Indoor



* Colours and tile designs shown above are for illustration purposes. Please refer to actual tiles for final selection.

TECHNICAL SPECIFICATION

MML PORCELAIN (RECTIFIED)

E ≤ 0.5% (Bla, ANNEX G)

TECHNICAL FEATURES	STANDARDS	MS ISO 13006	MML TYPICAL STANDARDS
DIMENSIONAL CHARACTERISTICS			
Length & Width	ISO 10545-2	±0.30% max±1.0mm	±0.25% max±1.0mm
Thickness	ISO 10545-2	±5.00% max±0.5mm	±5.00% max±0.5mm
Straightness of Sides	ISO 10545-2	±0.30% max±0.8mm	±0.25% max±0.8mm
Rectangularity	ISO 10545-2	±0.30% max±1.5mm	±0.30% max±1.5mm
Surface Flatness	ISO 10545-2	±0.40% max±1.8mm	±0.25% max±1.8mm
CHEMICAL PROPERTIES			
Resistance to Household Chemicals & Swimming Pool Salts	ISO 10545-13	Min GB	GB
Resistance to Staining	ISO 10545-14	Min Class 3	Class 3
PHYSICAL PROPERTIES			
Water Absorption	ISO 10545-3	Group Bla, E≤0.5%	≤0.5%
Breaking Strength	ISO 10545-4	Min 1,300 N	1,300 N
Modulus of Rupture	ISO 10545-4	Min 35 N / mm ²	> 35 N / mm ² (Depending on Series)
Resistance to Surface Abrasion	ISO 10545-7	Report Abrasion Class	Glazed: Class 2 – 4 (Depending on Glaze Type)

The above information serves as a general guideline only. Different types of tiles are made to meet different performance requirements. For legal compliance or for specific product technical performance, please request for a confirmation or test report.

A BRAND BY HAFARY



QUALITY. GUARANTEED.

FOLLOW US ON:



mymml.com



[mmlglobal](#)



[mmlglobal](#)

